



## Hot Spun Code Dished Ends

With the spinning process as tables below, diameters can be infinitely varied within the range. ie from 2850mm inside diameter to 6200mm outside diameter. The below table shows data for typical sizes to assist in preliminary sizing only.

End Diam	Form	ICR	IKR	ITH	SF	Disc Diam	No. Pcs	Weight kg per 10mm	Cubic Cap Litres	End Thickness									
										10	12	16	20	25	28	32	36	40	50
2896 ID	SE			724	76	3556	2	780	3173	t	t	t	t	t	t	t	t		
2896 ID	TOR	2819	254	541	76	3327	2	682	2326	t	t	t	t	t	t	t	t		
3048 ID	SE			762	76	3759	2	871	3700	t	t	t	t	t	t	t	t		
3048 ID	TOR	2972	254	569	76	3505	2	757	2651	t	t	t	t	t	t	t	t		
3353 ID	SE			838	76	4153	2	1063	4925		t	t	t	t	t	t	t	t	
3353 ID	TOR	3277	279	624	76	3861	2	919	3523	t	t	t	t	t	t	t	t	t	
3658 ID	SE			914	76	4547	2	1275	6394			t	t	t	t	t	t	t	
3658 ID	TOR	3581	305	681	76	4191	2	1083	4575		t	t	t	t	t	t	t	t	
3962 ID	SE			990	76	4850	2	1450	8125			t	t	t	t	t	t	t	
3962 ID	TOR	3886	330	736	76	4572	2	1289	5806	t	t	t	t	t	t	t	t	t	
4267 ID	SE			1066	76	5131	2	1623	10150				t	t	t	t	t	t	
4267 ID	TOR	4191	356	793	76	4978	2	1528	7253			t	t	t	t	t	t	t	
4572 ID	SE			1143	76	5486	2	1856	12485				t	t	t	t	t	t	
4572 ID	TOR	4496	381	848	76	5309	2	1738	8913				t	t	t	t	t	t	
4877 ID	SE			1219	76	6200	3	2370	15154					t	t	t	t	t	
4877 ID	TOR	4801	406	904	76	6000	2	2220	10809				t	t	t	t	t	t	
5182 ID	SE			1295	76	6600	3	2686	18179					t	t	t	t	t	
5182 ID	TOR	5105	432	960	76	6300	3	2447	12970					t	t	t	t	t	
5486 ID	SE			1371	76	7000	3	3021	2686					t	t	t	t	t	
5486 ID	TOR	5410	457	1016	76	6600	3	2886	15378					t	t	t	t	t	
5791 ID	TOR	5715	508	1087	76	6708	3	2774	18491					t	t	t	t	t	
6096 ID	TOR	6020	508	1128	76	7027	3	3044	21089					t	t	t	t	t	