



Hot Pressed Code Dished Ends SE & TOR Standard Sizes

END DIAM	FORM	ICR	IKR	ITH	SF	DISC DIAM	WT KG/10 MM	CU CAP LITRES	8	10	12	16	20	25	32	36	40	50	60	70	80+	
940	ID	SE			235	63	1270	99.4	109	*	*	*	*	*	*	*						
950	ID	SE			237	63	1296	103.6	112	*	*	*	*	*	*	*						
965	ID	SE			241	63	1296	103.6	118		*	*	*	*	*	*						
991	OD	TOR	940	70	172	50	1169	84.3	78	*	*	*	*	*								
991	ID	SE			247	63	1346	111.7	127	*	*	*	*	*	*	*						
1016	ID	SE			254	63	1346	111.7	137		*	*	*	*	*	*						
1067	OD	TOR	914	76	203	51	1270	99.4	97	**	**	*	*	*								
1067	ID	SE			266	76	1422	124.7	159		**	*	*	*	*	*	*	*	*	*	*	*
1118	ID	SE			279	76	1460	131.4	183			*	*	*	*	*						
1137	ID	SE			284	76	1524	143.2	192			*	*	*	*	*						
1143	OD	TOR	914	102	246	51	1397	120.3	120	*	*	*	*	*	*							
1219	OD	TOR	1067	108	240	51	1473	133.8	146	**	**	**	*	*	*							
1219	ID	SE			304	76	1600	157.8	237		**	**	*	*	*	*	*	*	*	*	*	*
1270	ID	SE			317	76	1675	173.0	268		*	*	*	*	*	*						
1290	ID	SE			322	76	1727	183.9	281		*	*	*	*	*	*						
1372	ID	TOR	1270	82	248	76	1700	178.2	219	**	**	**	*	*	*	*	*	*	*	*	*	*
1372	ID	SE			343	76	1778	194.9	338	**	**	**	*	*	*	*	*	*	*	*	*	*
1524	OD	TOR	1397	152	302	76	1854	211.9	288		**	**	*	*	*	*	*	*	*	*	*	*
1524	ID	SE			381	76	1981	242.0	463		**	**	*	*	*	*	*	*	*	*	*	*
1676	ID	SE			419	76	2185	294.4	616		**	**	*	*	*	*	*	*	*	*	*	*
1715	OD	TOR	1651	127	305	76	2032	254.6	412		**	*	*	*	*	*	*	*	*	*	*	*
1829	OD	TOR	1753	152	335	76	2159	287.4	501		**	*	*	*	*	*	*	*	*	*	*	*
1829	ID	TOR	1753	152	335	76	2197	297.6	518			*	*	*	*	*	*	*	*	*	*	*
1829	ID	SE			457	76	2360	343.4	801			**	*	*	*	*	*	*	*	*	*	*
1981	OD	TOR	1829	152	366	76	2336	336.4	639		**	*	*	*	*	*	*	*	*	*	*	*
1981	ID	SE			495	76	2565	405.6	1018			**	*	*	*	*	*	*	*	*	*	*
2134	OD	TOR	2057	152	376	76	2514	389.7	800			**	*	*	*	*	*	*	*	*	*	*
2134	ID	SE			533	76	2718	455.5	1272				**	*	*	*	*	*	*	*	*	*
2270	ID	SE			567	76	2947	535.5	1531				*	*	*	*	*	*	*	*	*	*
2286	OD	TOR	2133	228	450	76	2718	455.5	985			**	*	*	*	*	*	*	*	*	*	*
2330	ID	SE			582	76	2972	544.6	1656				**	*	*	*	*	*	*	*	*	*
2438	OD	TOR	2362	165	421	76	2870	507.8	1197			**	*	*	*	*	*	*	*	*	*	*
2438	ID	SE			609	76	3100	592.5	1897				**	*	*	*	*	*	*	*	*	*
2600	OD	TOR	2515	165	441	76	2972	544.6	1454					*	*	*	*	*	*	*	*	*
2591	ID	SE			647	76	3226	641.6	2277					*	*	*	*	*	*	*	*	*
2731	ID	SE			682	76	3429	724.9	2666					*	*	*	*	*	*	*	*	*
2743	ID	TOR	2591	241	515	76	3302	672.2	1747					*	*	*	*	*	*	*	*	*

ENDS CAN BE HOT PRESSED UP TO 125 MM THICK.

ALL DIMENSIONS IN MM. **DENOTES STOCK SIZE. * DENOTES MADE TO ORDER.
 INTERMEDIATE AND METRIC SIZES ARE AVAILABLE ON APPLICATION.
 Disc dia is applicable for carbon steel ends up to 25 mm thick.